



**INCLINATOR**  
SERENITY™

# **THE INCLINATOR SERENITY SERIES**

REDEFINING THE VERTICAL PLATFORM LIFT

# The Peace of Mind You Deserve

*Inclinor Serenity*—it represents the comfort and peace of mind delivered by the industry's safest and most dependable vertical platform lift (VPL). The Serenity line offers those who use wheelchairs freedom and independence, continuing Inclinor's commitment to improve lifestyles through innovation. Each unit features stainless hardware, resilient polycarbonate side panels for a less confined feel, and a lift capacity of 750 pounds. A high-density ABS sensor ensures that the lift will stop if it encounters an obstruction.

*Inclinor understands the mobility challenges that affect millions of Americans. The Serenity Series is the solution that best serves the needs of those with limited mobility, offering freedom and reliability without sacrificing style.*

## BENEFITS

- ▶ Safe, dependable, and durable
- ▶ Modern styling
- ▶ Affordable
- ▶ Quick installation
- ▶ Versatile lift heights
- ▶ Multiple configurations for easy entry/exit
- ▶ Three-year warranty
- ▶ 750-pound lift capacity
- ▶ Available in AC or DC for maximum efficiency



Extreme cold weather capability comes standard—no additional “cold weather package” necessary.

Easy access to the home you love. The Inclinor Serenity is the choice of homeowners and caregivers throughout North America. With two platform sizes and a range of lift heights, it will carry you from just a step or two all the way up to your home's deck. Its cutting-edge side panels add durability while removing the “enclosed” sensation of other lifts on the market. And with its small footprint, it's the perfect alternative to large, cumbersome ramps.




From Our  
Family to Yours  
**INCLINATOR**  
CARES.

STANDARD LIFT


# Inclinor Serenity **PREMIUM** Vertical Platform Lifts

Lifting Heights Available 52", 72", & 105"



# Inclinor Serenity **STANDARD** Vertical Platform Lifts

Lifting Heights Available 28", 52", 72", & 105"



	STANDARD	PREMIUM
36" x 54" Platform/ Inside measurement of 34" x 54"		✓
36" x 48" Platform/ Inside measurement of 34" x 48"	✓	
Available lifting heights of 28"(Standard only), 52", 72", and 105"	✓	✓
Aluminum platform, with powder coated rails and polycarbonate panels	✓	
Aluminum platform, with stainless steel rails and polycarbonate panels		✓
Can be changed to a 90-degree access at no charge on-site, field reversible.		✓
Can be changed from a left-hand tower to a right- hand tower or vice versa on the job site.	✓	✓
Available in AC or DC	✓	✓
750 pound capacity	✓	✓
Overall footprint including ramp-52 ¼" x 74"	✓	✓



## OPTIONS

Landing gate with electric interlock. Steel black powder-coated frame with tinted polycarbonate panels. Includes rocker switch and key switch. (Universal left or right swing) Width 36" x Height 42"

Landing gate with mechanical lock. Steel black powder-coated frame with tinted polycarbonate panels (Universal left or right swing) Width 36" x Height 42"

Platform gate with latch and spring-loaded hinge. Stainless steel frame with polycarbonate panels (Universal left or right swing)

90 deg. / adjacent platform for Standard units

Wireless remote for all VPLs

Call send box with key and rocker switch

## THE PIONEER IN RESIDENTIAL ACCESSIBILITY.

It all started in 1923 when C.C. Crispen visited an ailing neighbor who was confined to an upstairs bed. In a few short days he developed the world's first inclined stairway elevator: the "Inclin-ator." Inclinator's origin of caring for those with limited mobility continues to be our guiding principle nearly a century later.



**INCLINATOR COMPANY OF AMERICA**  
 601 Gibson Boulevard Harrisburg, PA 17104  
 (855) 654-8122  
 info@inclinator.com  
 www.inclinator.com

Consult your local building authorities for specific regulations on these products before purchasing. Specifications, material finishes and product options are subject to change without notice.



NATIONAL ASSOCIATION  
OF ELEVATOR CONTRACTORS



AN ASSOCIATION OF MEMBERS  
OF THE ACCESSIBILITY INDUSTRY